


# Al Fresco living

Spend more time outdoors with weinor awnings







Atmospheric moments – until well into the night



# Quality awnings for everyone's taste

Resilient and long-lasting: weinor folding arm awnings are a combination of high-calibre design and premium technology. Depending on where you want to install your awning, the desired level of convenience and awning features, you can choose from three awning categories.



## Cassette awnings

Full cassette awnings protect the fabric and mechanism from the elements. The ultimate solution with the highest level of aesthetics.

Zenara ... 12  
Opal Design II ... 14  
Cassita II ... 18  
I/K/N 2000 ... 20



## Semi-cassette awnings

Semi-cassette awnings protect the fabric, and when the front rail is fully closed the mechanism is tucked away safely. A great alternative to the full cassette.

Semina ... 22



## Open awnings

Open awnings are the entry level products to the weinor range. Particularly suited to installation under a balcony or roof overhang, where a cassette is not required. The addition of a top profile protects the fabric from the elements.

weinor Livona ... 24  
Topas ... 28




# The weinor awning highlights

## Design



**Design is a question of style – uncompromisingly beautiful shape**

Whether classic or avant-garde, weinor awnings stand out for their high-quality materials and aesthetic look and shape. The result is ultramodern technology in a contemporary design. Feel free to choose the awning that best meets your personal tastes and furnishings.



Premium quality  
Made in Germany

For many years now, weinor has consistently driven innovation in awning design and technology. With its new generation of awnings, weinor is once again raising the bar. At the core of these developments are three aspects.

The foundation for our success: maximum technical expertise and uncompromising quality standards.

## Convenience

## Technology



### For long evenings on the patio – atmospheric LED lighting

Every awning is optionally available with integrated LED lighting or different light bars. Select LED spotlights cast a pleasant, warm white light even when the awning is retracted. Operate and dim your awning using weinor BiConnect, radio control. The very energy-efficient LED spotlights last for 30,000 hours.




### True to its name – the weinor LongLife arm




The appeal of the low-noise weinor LongLife arm is its very high tension force – even in gusty conditions. This ensures the fabric is exceptionally well positioned. Its resilient high-tech belt has undergone 100,000 cycles in a fatigue test. We back this up with a 10-year warranty. Drop-forged aluminium has been added to the arm joint for even greater stability.

Over 150 weinor fabric patterns

**Wonderful fabrics  
for every type  
of awning**



## 47 standard framework colours, awning casing and arms





# weinor Zenara – trend-setting design in its perfect form

The backbone of the ground-breaking design of the weinor Zenara is its innovative technology. With LED lighting as optional extras, this awning leaves nothing to be desired.



## Avant-garde design for style purists

At one with the facade: even the wider versions of the weinor Zenara require just two wall attachments.

- very sturdy cassette

- up to 6.5 m wide – versions at least 5.5 m wide supplied with patented wire tensioning technology used in bridge construction
- with weinor LongLife arm (10-year warranty)



## Concealed mechanical parts for a seamless appearance

Every mechanical component has been tucked away inside the housing, giving the weinor Zenara its purist look.

- electronics and controls all tucked away inside the cassette
- patented OptiFlow-System® for the ideal fabric positioning



## LED lighting for significantly longer enjoyment of your patio

The pleasant warm white light that comes with the Zenara LED gives you endless hours of joy well into the evening.

- LED spotlights registered for patent

- highly energy efficient
- operating life of 30,000 hours
- infinitely dimmable when used with BiConnect radio control
- can be used even when awning is retracted

Zenara/LED	
Max. width	Max. projection
650 cm	400 cm



German Design Award

SPECIAL MENTION 2014



2014

## weinor Opal Design II – live it up on your patio



High-performance technology meets high-calibre design – the weinor Opal Design II meets the highest demands of a premium cassette awning. Built to shade large areas, its timelessly classic shape blends in perfectly with any style of architecture. The beautifully-shaped cassette adds some refined sophistication to the facade. A wealth of unique highlights make the Opal Design II easy to use, very convenient in operation and outstandingly durable.



## Impressive features for a top-class awning

With Valance Plus and integrated LED lighting, the Opal Design II lives up to the highest demands. Multi-section units convert even large patios into well-shaded favourite areas.



## Classic design for shading those larger terraces and patios

Large, strong and safe – the Opal Design II has enough features to impress, even in the most demanding of applications.

- timeless classic design
- for spacious patios up to 48 m<sup>2</sup>
- certified up to wind force 5
- with weinor LongLife arm (10-year warranty)



## End cap closure – unique and safe

If you can see the spring loaded clips at the end of the front profile are closed, then the awning is reliably protected against the elements and dirt.

- crescent-shaped cap closes securely with an audible click
- unique, patented solution made by weinor



## Integrated LED lighting for long evenings on the patio

The Opal Design II LED casts an atmospheric, warm white light for even longer hours of enjoyment on the patio.

- LED spotlights registered for patent


- operating life of 30,000 hours
- highly energy efficient
- infinitely dimmable when used with BiConnect radio control
- can be used even when awning is retracted



## Valance Plus – greater privacy, even more glare protection

With its unique, patented technology, the Opal Design II Valance Plus provides the best possible privacy, as well as outstanding glare and sun protection.

- valance height: up to 210 cm
- patented OptiFlow-System® for the ideal fabric positioning
- coordinated valance control with integrated BiConnect retraction protection



## Multi-section units to shade especially large areas

On combined multi-section systems, two sections of fabric are connected to one motor. This means they can both be operated at the same time (does not apply to Valance Plus option).

- for awnings and shades up to 12 m wide and a projection of up to 4 m
- jockey roller to cover gap between fabrics
- LED spotlights asymmetrically distributed on coupled units

Opal Design II/LED		Valance Plus option		
Max. width	Max. projection	Max. width	Max. projection	Valance Plus projection
650/1,200* cm	400 cm	500/600 cm	350/300 cm	100, 150, 210 cm

\* Two-section systems



reddot award 2014 winner

product design award 2014

Focus Open 2014 Silver



# weinor Cassita II – a gem amongst cassette awnings

Elegant design and full of brand new technology. With its puristic shape and ultra-slim cassette, the Cassita II is the perfect awning for modern domestic trends - with various options for added comfort and convenience.



## Youthful living with slim cassette design

For contemporary home decor aficionados: the outstanding feature of the Cassita II is its puristic, harmoniously flat, oval-shaped design

- beautifully-shaped aluminium end caps
- concealed fixings and cover caps
- easy end-fix installation with only two brackets



## High-performance technology in the smallest of spaces

Fully sheltered: inside the cassette is the very latest in weinor awning technology.

- durable and very quiet weinor LongLife arm (10-year warranty)
- torsion-resistant OptiNut roller tube for widths up 5.5 m



## LED lighting – long evenings on the patio included

Pleasant summer evenings on your patio – the Cassita II LED provides warm, white atmospheric LED light.

- LED spotlights registered for patent

- highly energy efficient
- operating life of 30,000 hours
- infinitely dimmable when used with BiConnect radio control
- can be used even when awning is retracted

Cassita II	
Max. width	Max. projection
550 cm	300 cm



# weinor I 2000, K 2000, N 2000 – proven technology, timeless design

These cassette awnings are true classics. With three to choose from, weinor offers a solution for any type of building – with or without a rear profile, and especially for alcoves and niches.



## Flexible all-rounders for any application

With its classic proportions and extensively tested concept, this cassette awning is the ideal fit for any type of building.


- one-piece systems up to 7 m in width with 4 m projection
- durable and very quiet weinor LongLife arm (10-year warranty)



## Perfect protection and versatile installation

Once the awning is retracted, both the fabric and the mechanical parts are safely protected inside the cassette. A number of versions are available depending on where the awning is to be fitted.

- K 2000 with fully closed cassette for any type of building
- I 2000 without rear wall profile, for wall installation
- N 2000 for niche installation into a pre-constructed opening



## Multi-section units for large patios

Two-section coupled systems that open and retract by means of a motor are a good option for especially large areas.

- for awnings and shades up to 12 m wide and a projection of up to 4 m
- continuous fabric, or jockey cover to join two sections of fabric



## N 2000 – the specialist awning for niche installations

The unique flat front fail on the N 2000 makes it the perfect solution when the installation is to be completely hidden.

- front profile fits flush with the wall or facade
- tilting arm closure assembly ensures the front rail closes very precisely

I 2000/K 2000		N 2000	
Max. width	Max. projection	Max. width	Max. projection
700 cm/1,200* cm	400 cm	600 cm	350 cm

\* Two-section systems



# weinor Semina – youthful design meets potent technology

The compact Semina semi-cassette is great in price, functionality and design. With its uncomplicated construction, this awning is outstanding in quality.



## The compact semi-cassette – fresh, youthful aesthetic appearance

Here, the semi-circular housing profile together with a large front profile ensures the fabric and mechanism are protected from the elements and remain free from dirt.

- compact shape
- durable and very quiet weinor LongLife arm (10-year warranty)



## Energy-efficient – the optional LED light bar

Even more hours of enjoyment on your patio – the optionally available LED light bar provides a pleasant warm white light in the evenings

- LED spotlights registered for patent

- highly energy efficient
- operating life of 30,000 hours
- infinitely dimmable when used with BiConnect radio control
- can be used even when awning is retracted



## Wind lock safety device – protecting your awning

The weinor tilting folding arm with patented wind lock safety device prevents the awning from being lifted up by the wind.

- proven, maintenance-free technology
- all components made of forged and extruded aluminium

Semina	
Max. width	Max. projection
700 cm	350 cm



## weinor Livona – the essence of an awning

Smart technology forms the backbone of the minimalist design of the weinor Livona open awning. This puristic awning appears to float in the air, with little obstructing your view of all the fabric. You can also add LED lighting to create a wonderfully ambient atmosphere. When combined with the frame colour and fabric, the weinor Livona becomes more than a balcony or patio awning: a modern stylish element for life al fresco.



### Purist design


The cool design of the weinor Livona is primarily based on clean lines and it being paired down to its essential parts. Beautifully-shaped aluminium caps, an ultraslim front profile and a seamless design – the look that encapsulates a modern attitude towards life

### For every living situation

With numerous versions available, this awning can be installed on virtually any property. On walls, rafters or ceilings – the weinor Livona is a versatile awning. If the architecture doesn't provide any shelter from above, the weinor Livona can even be ordered with a roof.

### Atmospheric LED lighting

On the weinor Livona LED version, the side light rings and LED Slim light bar emit a fascinating, warm white LED light. This way you can present your patio in its true light.



reddot award 2014  
honourable mention

# weinor Livona – an awning through and through, with nothing between you and the fabric



## The floating open awning that gets you even closer to the fabric

Outdoor living is more than just a trend. With numerous technical innovations the weinor Livona creates the perfect textile environment.

- near-invisible carrier bar
- ultraslim front profile
- no visible screws or fixings
- 2-section systems up to 1,200 cm: with continuous fabric (roller support) or jockey cover



## weinor LongLife arm – guaranteed to be resilient and durable

The Longlife arm on the weinor Livona is especially quiet, light-weight and yet extremely robust due to the use of drop-forged aluminium.

- exceptionally durable high-tech belt – over 100,000 cycles in fatigue test
- 10-year warranty
- for exceptional fabric positioning



## Atmospheric lighting with the weinor Livona LED

The appeal of the weinor Livona LED is its combination of two LED light rings mounted on the side cover caps and the ultrathin LED Slim light bar.

- highly energy efficient
- operating life of 30,000 hours
- infinitely dimmable when used with BiConnect radio control
- can be used even when awning is retracted



## Valance Plus – integrated vertical privacy and sun protection

If you value your privacy greatly and want to stay sheltered from low-lying sun, the weinor Livona/LED Valance Plus is exactly right for you.

- extends to any length
- anti-glare and privacy screen up to a valance height of 210 cm
- patented OptiFlow-System® for the ideal fabric positioning
- with integrated BiConnect retraction protection control

weinor Livona/LED		Valance Plus option		
Max. width	Max. projection	Max. width	Max. projection	Valance Plus projection
700 cm/1,200* cm/600**cm	400 cm	500/600 cm	350/300 cm	100, 150, 210 cm



# Topas – the classic entry-level model

High on quality, low on budget – the weinor Topas open awning is the perfect model to get you started. As it comes with several options, you'll always find a matching Topas no matter the type of structure.



## Uncomplicated and wind-resistant – the low-priced awning

The Topas open awning is very wind resistant, and when one of the many frame colours is combined with one of the beautiful fabrics it creates a perfect atmosphere.


- one-piece systems up to 7 m in width with 4 m projection
- durable and very quiet weinor LongLife arm (10-year warranty)



## Suitable for all structures and applications

As an open awning, the Topas is suitable for almost all installations, whether in a niche, below a balcony underneath a roof over-hang.

- the addition of an aluminium top profile protects the fabric from the elements
- 2-section systems up to 12 m wide, with continuous fabric or jockey cover



## Multi-section units – to shade especially large areas

The Topas also comes as a combined multi-section unit for very large patios.

- as a 2-part unit up to 1,200 cm
- jockey cover or roller support cradle with continuous fabric

Topas	
Max. width	Max. projection
700 cm/1,200* cm	400 cm

\* Two-section systems



Simply intuitive.



## Intelligent accessories for greater comfort

weinor awnings raise the bar in patio and balcony sun protection. This is due in no small part to the numerous optional accessories that make comfort the weinor way so unique. weinor's well-engineered technology satisfies even the most demanding tastes.




**Valance Plus – the side privacy and sun protection screen**

With the Valance Plus, you get to choose the fabric for your main awning. If you want to be able to see out at the same time, look no further than our Perluca sheer acrylic fabric or Soltis® high-tech climate-control fabric as your best options.



**Paravento – side privacy screen at a flick of the wrist**

Another way to enjoy greater privacy is to open out a side screen: the Paravento provides exceptional shelter from the wind and prying eyes, in a fabric and colour to match the awning if so desired.



**Tempura heating system – cosy warmth on cooler days**

Pleasant, instant heat without any pre-heating: the energy-efficient Tempura infrared heater delivers a heat output of over 1,500 watts. Very easy to operate and dim using the weinor radio control.



## “Made in Germany” – award-winning technology and designs

For over half a century, we have pursued the same mission: customer satisfaction. As a medium-sized, international company, weinor’s quality is as good as it gets and “Made in Germany”. All our products are designed and manufactured in Germany.

## Product overview

- standard
- optional
- unavailable



Zenara/LED

Opal Design II/LED

Cassita II/LED

Cassette awnings

Technology			
Max. width x max. projection, 1-section/2-section systems with continuous fabric or jockey cover	650 cm x 400 cm	1-section: 650 cm x 400 cm 2-section: 1,200 cm x 400 cm	550 cm x 300 cm
Cassette size (W x H), incl. bracket	Zenara: 280 mm x 160 mm Zenara LED: 280 mm x 165 mm	Opal Design II/LED: 265 mm x 172 mm	Cassita II/LED: 266 mm x 155 mm
MiniMax, projection greater than width	—	—	—
Motor drive	● as standard	● as standard	● as standard
Gear drive	—	○	○
Angle of pitch on awning	5° – 40°	5° – 40°	5° – 45°
Installation options	can be installed on walls, ceilings and rafters		
Lighting	Zenara LED	Opal Design II LED	Cassita II LED
Name of awning	LongLife arm	LongLife arm	LongLife arm
Valance Plus option			
Max. width	—	500 cm/600 cm	—
Max. projection	—	350 cm/300 cm	—
Cassette size (W x H)	—	Opal Design II: 326 x 172 mm Opal Design II LED: 326 x 172 mm	—
Motor drive (only possible if primarily motor-driven)	—	●	—
Gear drive	—	—	—
Angle of pitch on awning	—	10° – 20°	—
Valance Plus projection (H)	—	100 cm, 150 cm, 210 cm	—
Frame colours			
47 standard frame colours	●	●	●
Over 150 other RAL colours	○	○	○
9 trend colours	●	●	●
Fabric collection colours by weinor®			
true colours acrylic fabrics	●	●	●
magic colours polyester fabrics:	●	●	●
Perluca functional fabrics	—	● only for Valance Plus	—
Soltis® functional fabrics	—	● only for Valance Plus	—
Accessories			
LED Design/LED Design 3Spot light bar	—	—	—
Tempura heating system*	○ wall-mounted	○ wall-mounted or attached to cassette	○ wall-mounted
Produktschutzsensor BiSens Agido-3V	○	○	○
Controls			
Radio control	○	○	○
Quality			
Tested up to	wind force 5 on the Beaufort scale and wind resistance class 2 according to DIN 13561		



I 2000/K 2000/N 2000	Semina	weinor Livona/LED	Topas
	Semi-cassette awning	Open awning	
I/K 2000: 1-section: 700 cm x 400 cm 2-section: 1,200 cm x 400 cm N 2000: 600 cm x 350 cm	700 cm x 350 cm	weinor Livona: 1-section: 700 cm x 400 cm 2-section: 1,200 cm x 400 cm weinor Livona LED: 600 x 400 cm	1-section: 700 cm x 400 cm 2-section: 1,200 cm x 400 cm
I/K 2000: 198 mm x 211 mm N 2000: 200 mm x 185 mm	190 mm x 204 mm	with roof: 282 mm x 190 mm without roof: 275 mm x 190 mm	with roof: 220 mm x 210 mm without roof: 210 mm x 180 mm
—	—	<input type="radio"/> only without LEDs	—
<input checked="" type="radio"/> as standard	<input checked="" type="radio"/> as standard	<input checked="" type="radio"/> as standard	<input checked="" type="radio"/> as standard
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5° – 45°	5° – 40°	5° – 20°	5° – 40°
can be installed on walls, ceilings and rafters			
<input type="radio"/> LED Design bar	<input type="radio"/> LED Design bar	<input checked="" type="radio"/> weinor Livona LED: 2 light rings, LED Slim light bar	<input type="radio"/> LED Design bar
LongLife arm	LongLife arm	LongLife arm	LongLife arm
—	—	500 cm/600 cm	—
—	—	350 cm/300 cm	—
—	—	313 mm x 190 mm	—
—	—	<input checked="" type="radio"/>	—
—	—	<input type="radio"/>	—
—	—	5° – 20°	—
—	—	100 cm, 150 cm, 210 cm	—
<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
—	—	<input checked="" type="radio"/> only for Valance Plus	—
—	—	<input checked="" type="radio"/> only for Valance Plus	—
<input type="radio"/>	<input type="radio"/>	—	<input type="radio"/>
<input type="radio"/> wall-mounted	<input type="radio"/> wall-mounted	<input type="radio"/> wall-mounted or attached using a support pipe bracket	<input type="radio"/> wall-mounted
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
wind force 5 on the Beaufort scale and wind resistance class 2 according to DIN 13561			



## Breeze-proof: the weinor Plaza Home

The weinor Plaza Home textile patio roof extends to provide reliable sun protection in gusty areas. With its sturdy pole structure, it handles up to gale force 5 winds with ease. The perfect solution for uneven or insulated facades.

**Patent no**

EP1310609	1541776	EP0916781	0994221
1403442	2072709	EP0959195	1206609
1382770	0745742	EP0942114	1099808

[www.weinor.com](http://www.weinor.com)

**Important:**

*For textile sun protection: creases occur during manufacture and when folding the awning fabrics. This can lead to the areas of the fold appearing darker when seen against the light, particularly with light colours. Folds in the hem, seam and fabric lengths occur where there are multiple layers of the woven fabric and different rolling thicknesses on the fabric roller. The resulting*

*fabric tension can cause waviness (e.g. honeycomb or fish bone patterns). In principle, these effects occur to varying degrees in almost all awning fabrics. Creases and folds do not detract from the value and usability of an awning. Awnings and conservatory awnings are sun protection devices which should be retracted when it is raining or windy. Wet fabric creases more easily and as*

*far as possible should only be retracted after drying out (please take care in strong winds and avoid pooling). Depending on the colour of the ordered frame, we supply all small parts as well as crank handles and gear boxes for systems with crank mechanisms in black (similar to RAL 9005), white (similar to RAL 9016) or grey (similar to weinor 7319).*

Your authorised dealer will be pleased to advise you:



**ELEGANT**  
AWNINGS

**ELEGANT AWNINGS**  
by Elegant Installations Ltd.

Telephone: 0800 0787247  
Serving Berkshire, Bucks, Oxon,  
Hants, Wilts, Surrey, Middlesex & Herts.

Relax al Fresco | **weinor**